

Procedure coding (cont.)**ANHOA TRANSITION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	MALAY	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	ANHOA	-	233 (231.7)	1° W	70.1	-	+FL200	-	-	RNAV1

5. RNAV RWY 07L: SAPEN ONE FOXTROT DEPARTURE (SAPEN 1F)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS034	-	070 (069.0)	1° W	12.0	-	-	-	-	RNAV1
2	TF	TS037	-	139 (138.0)	1° W	33.2	R	-3050	-	-	RNAV1
3	TF	TS038	-	229 (228.0)	1° W	32.8	R	+4550	-	-	RNAV1
4	TF	SAPEN	-	317 (316.1)	1° W	88.7	R	-	-	-	RNAV1

6. RNAV RWY 07L: TANOS ONE ALPHA DEPARTURE (TANOS 1A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS034	-	070 (069.0)	1° W	12.0	-	-	-	-	RNAV1
2	TF	TS037	-	139 (138.0)	1° W	33.2	R	-3050	-	-	RNAV1
3	TF	TANOS	-	079 (078.0)	1° W	39.7	L	+3350	-	-	RNAV1

DOVIN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	+3350	-	-	RNAV1
2	TF	DOVIN	-	034 (032.7)	1° W	158.1	-	-	-	-	RNAV1

LKH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	+3350	-	-	RNAV1
2	TF	LKH	-	045 (044.3)	1° W	161.0	-	-	-	-	RNAV1

PTH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	+3350	-	-	RNAV1
2	TF	PTH	-	075 (073.9)	1° W	85.2	-	+FL250	-	-	RNAV1

7. RNAV RWY 07L: VICAL TWO ALPHA DEPARTURE (VICAL 2A)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS034	-	070 (069.0)	1° W	12.0	-	-	-	-	RNAV1
2	TF	TS037	-	139 (138.0)	1° W	33.2	R	-3050	-	-	RNAV1
3	TF	TS038	-	229 (228.0)	1° W	32.8	R	+4550	-	-	RNAV1
4	TF	TS039	-	180 (179.0)	1° W	17.2	L	+4900	-	-	RNAV1
5	TF	VICAL	-	180 (179.4)	1° W	15.6	R	-	-	-	RNAV1

NIXIV TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	VICAL	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	NIXIV	-	190 (188.8)	1° W	84.3	-	+FL200	-	-	RNAV1