

**Procedure coding (cont.)****17. RNAV RWY 25R: SAPEN ONE JULIETT DEPARTURE (SAPEN 1J)**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS015	-	248 (247.3)	1° W	12.1	L	-	-410	-	RNAV1
2	TF	TS016	-	340 (339.0)	1° W	16.7	R	-	-	-	RNAV1
3	TF	SAPEN	-	291 (290.0)	1° W	34.5	L	+2450	-	-	RNAV1

**18. RNAV RWY 25R: TANOS ONE DELTA DEPARTURE (TANOS 1D)**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	CF	TS015	-	248 (247.3)	1° W	12.1	L	-	-	-	RNAV1
2	TF	TS017	-	172 (171.0)	1° W	28.7	L	-3050	-	-	RNAV1
3	TF	TS018	-	082 (081.0)	1° W	22.0	L	+3650	-	-	RNAV1
4	TF	TANOS	-	074 (072.8)	1° W	62.9	L	-	-	-	RNAV1

**DOVIN TRANSITION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	DOVIN	-	034 (032.7)	1° W	158.1	-	-	-	-	RNAV1

**LKH TRANSITION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	LKH	-	045 (044.3)	1° W	161.0	-	-	-	-	RNAV1

**PTH TRANSITION**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TANOS	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	PTH	-	075 (073.9)	1° W	85.2	-	+FL250	-	-	RNAV1