

Procedure coding**1. RWY 25L/R - RNAV 1: BACHU TWO DELTA DEPARTURE (BACHU 2D)****INITIAL CLIMB RWY 25L**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Magnetic Course/Track	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	TS616	-	250	+1	11.7	-	-	-	RNAV 1

INITIAL CLIMB RWY 25R

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Magnetic Course/Track	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	TS616	-	248	+1	10.8	-	-	-	RNAV 1

BACHU 2D FROM TS616

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	TS616	-	-	+1	-	-	-	-	RNAV 1
2	TF	TS618	-	250 (249.0)	+1	26.5	-	-3350	-	RNAV 1
3	TF	BACHU	-	252 (251.1)	+1	34.9	-	-	-	RNAV 1

2. RWY 25L/R - RNAV 1: KADUM TWO DELTA DEPARTURE (KADUM 2D)**INITIAL CLIMB RWY 25L**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Magnetic Course/Track	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	TS616	-	250	+1	11.7	-	-	-	RNAV 1

INITIAL CLIMB RWY 25R

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Magnetic Course/Track	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	CF	TS616	-	248	+1	10.8	-	-	-	RNAV 1

KADUM 2D CODING FROM TS616

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	TS616	-	-	+1	-	-	-	-	RNAV 1
2	TF	TS636	-	340 (339.0)	+1	16.7	-	-	-	RNAV 1
3	TF	TS638	-	053 (052.1)	+1	14.2	-	-3350	-	RNAV 1
4	TF	TS686	-	053 (052.2)	+1	28.1	-	+3050	-	RNAV 1
5	TF	KADUM	-	053 (052.2)	+1	37.9	-	-	-	RNAV 1

DOVIN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	KADUM	-	-	+1	-	-	-	-	RNAV 1
2	TF	DOVIN	-	062 (061.5)	+1	130.0	-	-	-	RNAV 1

DILIN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	KADUM	-	-	+1	-	-	-	-	RNAV 1
2	TF	DILIN	-	078 (076.9)	+1	120.9	-	-	-	RNAV 1

PTH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	KADUM	-	-	+1	-	-	-	-	RNAV 1
2	TF	PTH	-	114 (113.1)	+1	120.4	-	-	-	RNAV 1

PATMA TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	Nav Spec
1	IF	KADUM	-	-	+1	-	-	-	-	RNAV 1
2	TF	PATMA	-	038 (037.0)	+1	135.7	-	-	-	RNAV 1