

Procedure coding**1. RNAV RWY 07L: BAOMY TWO DELTA ARRIVAL (BAOMY 2D)**

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	BAOMY	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	TS028	-	254 (252.9)	1° W	41.6	-	+3950	-	-	RNAV1
3	TF	TS027	-	256 (255.0)	1° W	22.2	R	+3350	-	-	RNAV1
4	TF	TS026	-	256 (255.0)	1° W	27.4	-	-3050	-410	-	RNAV1
5	TF	TS025	-	250 (249.0)	1° W	29.6	L	-	-410	-	RNAV1
6	TF	TS024	-	340 (339.0)	1° W	13.0	R	-	-370	-	RNAV1
7	TF	TS023	-	070 (069.0)	1° W	7.4	R	-	-370	-	RNAV1
8	TF	TS022	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
9	TF	TS021	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
10	TF	BUNVI	-	062 (061.1)	1° W	8.4	L	+600	-370	-	RNAV1

MEKIN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	MEKIN	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	BAOMY	-	206 (204.9)	1° W	53.2	-	-	-	-	RNAV1

VETOM TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	VETOM	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	BAOMY	-	218 (217.2)	1° W	50.3	-	-	-	-	RNAV1

PTH TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	PTH	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	BAOMY	-	266 (265.0)	1° W	81.5	-	-	-	-	RNAV1

2. RNAV RWY 07L: BITIS TWO DELTA ARRIVAL (BITIS 2D)

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	BITIS	-	-	1° W	-	-	-4250	-	-	RNAV1
2	TF	TS029	-	051 (049.9)	1° W	46.1	-	-	-	-	RNAV1
3	TF	TS026	-	340 (339.0)	1° W	13.0	L	-3050	-410	-	RNAV1
4	TF	TS025	-	250 (249.0)	1° W	29.6	L	-	-410	-	RNAV1
5	TF	TS024	-	340 (339.0)	1° W	13.0	R	-	-370	-	RNAV1
6	TF	TS023	-	070 (069.0)	1° W	7.4	R	-	-370	-	RNAV1
7	TF	TS022	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
8	TF	TS021	-	070 (069.0)	1° W	7.4	-	-	-370	-	RNAV1
9	TF	BUNVI	-	062 (061.1)	1° W	8.4	L	+600	-370	-	RNAV1

TRN TRANSITION

Serial number	Path Descriptor	Waypoint Identifier	Fly-over	Course/Track °M(°T)	Magnetic Variation	Distance (km)	Turn Direction	Altitude (m)	Speed (km/h)	VPA/TCH	Nav Spec
1	IF	TRN	-	-	1° W	-	-	-	-	-	RNAV1
2	TF	BITIS	-	072 (071.2)	1° W	62.8	-	-4250	-	-	RNAV1